26. M. N. Shanker Rao, 8, West Road Palace, Guttahalli Post, Malleswaram, Bangalore City.
27. S. M. Venkataramiah, care of Mr. T. Lakshmiah, Retired Police Inspector, Door No. 507, Kempananjamba Agrahar, Mysore City.
28. B. N. Natesan, care of Mr. D. N. Vasudeva Mudaliar, Veterinary Surgeon, Maddur.
29. N. Rudrappa, Subsidised Medical Practitioner, Kalasapur.
30. B. Gangappa, care of Mr. N. M. Rangiah, Manager, District Superintendent of Police Office, Tumkur.
31. T. C. Chandrasekhara, care of Mr. B. Chandappa, Merchant, Tarikere.
32. K. R. Nanjappa, care of Mr. K. Revappa, Merchant, New Taragupet, Bangalore City.
33. S. Damodaram, No. 15, East-tank Road, Basavangudi, Bangalore City.

By Order,
K. THIPPERUDRIAH,
Secretary,
Central Recruitment Board.

FOREST DEPARTMENT.

SHIMOGA DIVISION.

ERRATUM.

"Please read *Thursday the 21st* for *Monday the 21st March 1940* in the detailed Notification dated 8th February 1940, published on Pages 308-309 of the *Mysore Gazette*, dated 15th February 1940 and *21st March 1940* for *11th March 1940* in the abstract notification."

M. A. MUTHANNA,
District Forest Officer.

ENGINEERING DEPARTMENT.

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 5th February 1940.

The attention of the public is hereby invited to the detailed notification calling for tenders for constructing buildings for University Settlement, Students' Ashram, Office and Superintendent's Quarters, kitchen blocks and training centres in Mysore Road, Bangalore City, published in pages 312 to 317, Part VI of the *Mysore Gazette*, dated 15th February 1940. The last date of tender is 24th February 1940.

Notification dated 20th-21st February 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 2 P.M. of 8th March 1940, for extensions to Chemistry Block of Central College, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office, Buildings Division, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 875 (Rupees eight hundred and seventy-five only) in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for Extension to Chemistry Block of Central College, Bangalore, in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Tenders must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any tenders quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for extension to Chemistry Block, Central College, Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation in all soil and filling in basement with consolidation and removing the extra earth to a distance	C.yd.	0 3 0	400	
2	Granite stone jelly lime mortar concrete in foundation laid in courses of 6″ with proper consolidation	C.ft.	0 3 6	2,050	
3	Burnt size stone in lime mortar for foundation and basement in courses 8″, with bond stones at 6′ apart and quoin dressed in courses of basement	C.ft.	0 4 6	7,100	
4	Burnt stone slabs 6″ thick and one line dressed for exposed faces and set in mortar for basement, cill and lintels of doors and windows	S.ft.	0 4 6	1,200	
5	Burnt brick in lime mortar for (1 : 2) superstructure	C.ft.	0 4 0	8,158	
6	Supplying and fixing teakwood door ⅓ panelled and ⅔ glazed of standard frames, with 1½″ shutters with hinges, etc., complete as per design to be furnished	S.ft.	1 10 0	288	
7	Supplying and fixing teakwood windows, one side glazed and panelled on the other side with brass fittings and iron bars, etc., complete	S.ft.	1 12 0	588	
8	Supplying and fixing R.C.C. ventilators as per design	,,	0 12 0	216	
9	Archwork in burnt brick in lime mortar ..	C.ft.	0 6 0	535	
10	Providing, hoisting and fixing built up girders (22½″×14″) with carting, etc., complete including anticorrosive paint	Cwt.	15 0 0	322	
11	Do R.S. joists 20″×6½″ with necessary paints, hoisting, fixing, etc., complete ..	,,	15 0 0	76·6	
12	R.C.C. roof of 6″ thick as per design with proper reinforcements as per calculation ..	Sqr.	75 0 0	35.2	
13	Plastering with lime mortar 1 : 2	Sqr.	3 0 0	90·38	
14	Flooring with 1½″ cement concrete laid over 3″ lime concrete and cement plastering, cut to lines, etc., complete	,,	18 0 0	32·94	
15	Cement pointing to basement	,,	3 0 0	4·22	
16	Providing cornices as per existing design ..	R.ft.	0 10 0	260	
17	Constructing parapet wall 1½″ thick and 2′ high as per existing design with plastering, etc., complete	R.ft.	1 0 0	213	
18	Providing 4½″ thick partition wall with wire-cut brick in cement mortar	S.ft.	0 6 0	320	
19	Lac Factory painting to doors and windows ..	Sqr.	4 0 0	8·76	
20	Dismantling existing masonry stone or brick and stacking	C.ft.	0 0 4	..	
21	White washing and colour washing	Sqr.	0 4 0	90·38	

Notification dated 21st February 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 2 P.M. of 9th March 1940, for Extension to Physics Block, Central College, Bangalore.

An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 645 (Rupees six hundered and forty-five only) in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for extension to Physics Block, Central College, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Tenders must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any tender quoted at so much percentage less or more than estimated rate will not be accepted.

Tender for extension to Physics Block, Central College, Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
	I. Cellar Room.		Rs. a. p.		Rs.
1	Earthwork excavation for foundation removing the excavated earth to a distance of 50 yards after filling in basement with excavated earth, duly watering, tamping in layers of 6″ thick in all sides..	C.yd.	0 3 0	254	
2	Granite stone jelly concrete in lime mortar 1 : 2 : 4 for foundation laid in layers of 6″ thick with consolidation	C.ft.	0 3 6	600	
3	Size stone in mortar for foundation with bond stones at every 6′ apart in each course. The courses should not be less than 8″ high with bond stones at every 6′ apart	,,	0 4 6	3,025	
4	R.C.C. roofing 5″ thick 1 : 2 : 4 with necessary reinforcement with cement concrete at top and cement flooring finish with red ochre	Sqr.	65 0 0	4·1	
5	Lime mortar plastering	,,	3 0 0	11·11	
6	T. W. doors as per existing design	S.ft.	1 8 0	118	
7	White and colour washing as per plastering above ..	Sqr.	0 4 0	11·11	
8	Cement pointing to basement	,,	3 0 0	·75	
9	Cement concrete flooring 1½″ thick over 3″ lime concrete, cement plastering lines cut, polished with red ochre	,,	18 0 0	3·30	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
	Ground Floor.				
	Earthwork excavation for foundation and removing the excavated earth to a distance of 50 yards, after filling in basement with excavated earth duly watering, tamping in layers of 6″ thick in all sides	C.yd.	0 3 0	140	
	Granite stone jelly concrete in lime mortar for foundation 1 : 2 : 4 laid in layers of 6″ thick with consolidation	C.ft.	0 3 6	692	
	Size stone in lime mortar for foundation with bond stones at every 6′ apart	,,	0 4 6	2,765	
	Burnt stone slabs roughly dressed 6″ for basement all round exposed faces dressed	S.ft.	0 5 0	5.21	
	Burnt brick in lime mortar for superstructure	C.ft.	0 4 0	3,648	
	Burnt brick pointed archwork on composite mortar as per deductions	C.ft.	0 6 0	445	
	Providing and fixing T. W. doors (4″×5″) 1½″ thick shutters ⅓ panelled ⅔ glazed as existing design of the main building	S.ft.	1 8 0	40	
	Do windows (big) one side glazed and one side panelled with brass fittings, etc., and small	S.ft.	1 10 0	248	
	Big fan lights as existing fully glazed including small lights	,,	2 8 0	192	
	Wood oiling to doors and windows	Sqr.	1 8 0	7.18	
	Providing Tata's tested R.S. Girders 22″×7″ span 10′ C to C including hoisting	Cwts.	15 0 0	67	
	R.C.C. roofing 5″ (1 : 2 : 4) with necessary reinforcement with 2″ cement concrete at top and ½″ cement plastered and finished with red ochre	Sqr.	65 0 0	19.06	
	Lime mortar plastering ¾″ thick	Sqr.	3 0 0	54.60	
	White and colour washing two coats as per plastering	,,	0 4 0	54.60	
	Cornice ¾′ as per existing design	R.ft.	0 4 0	144	
	Providing and fixing T. W. stair including railings, etc., with landing as per design with two coats of varnish, etc., complete	Sqr.	3 0 0	200	
	First Floor.				
	Burnt brick in lime mortar for superstructure	C.ft.	0 4 0	2,720	
	Burnt brick pointed archwork in composite mortar as per deduction	,,	0 6 0	445	
	Providing and fixing T. W. doors 1½″ thick shutters ⅓ panelled and ⅔ glazed as per existing design	S.ft.	1 8 0	40	
	Do windows, big and small as per existing design	,,	1 10 0	248	
	Big and small fan lights	,,	2 8 0	192	
	R. S. Girders (22″×7″) at 75 lb. per S.ft. spaced 10′ C to C	Cwts.	15 0 0	70	
	R.C.C. roofing 5″, (1 : 2 : 4) with necessary reinforcement with 3″ surki concrete at top and 2 courses of flat tiles and plastered and finished	Sqr.	65 0 0	17.87	
	Parapet 2½′ height, burnt brick in mortar 9″ thick	R.ft.	0 12 0	142	
	Burnt brick in mortar cornice ¾′ as per existing design	,,	0 4 0	144	
	Plastering with lime mortar ¾″ thick	Sqr.	3 0 0	51.50	
	White and colour washing as per plastering	,,	0 4 0	51.50	
	Ornamental railings for verandah	R.ft.	1 12 0	...	

M. K. RAJAM IYENGAR,
Executive Engineer.